

- Active Region 435, 460
- Addition of Fields 83
- Admittance Coordinates 82
- Airy Function 651, 557
 - Fock 756
- Ampere's Law 6, 8, 9, 154
 - Generalized 172
- Amplitude Taper Loss 569
 - Central Aperture Blockage 608
 - Circularly Symmetric 576
 - Parabolic Reflector 589
 - Separable 571
- Antenna Pattern 31, 53
 - Scales 32
- Antenna Radiation 22
- Antenna Response 63
- Aperture 118, 215, 530
 - Amplitude Taper Loss 569
 - Beamwidth Scanned 554
 - Blockage 607
 - Dual Reflectors 644, 673
 - Circular 556
 - Circularly Symmetric 576
 - Airy Function 651
 - Cosine Distribution 537
 - Distribution 673
 - Leaky Wave 363g
 - Gain 216
 - GTD Comparison 740
 - Huygens Source 212, 533, 581
 - Linear Phase Taper 549
 - Pattern Multiplication 199, 421
 - Phase Error Loss 569
 - Quadratic Phase Error 573
 - Effect on Sidelobes 577
 - Rectangular 535
 - Sampled 765
 - Scanned 549, 690
 - Synthesis 535
 - Tapered Distributions 537
 - Triangular Distribution 537
 - Uniform 535, 556
 - Zero Sampling 787
- Aperture Efficiency 251
- Archimedean Spiral 435, 444
 - Feeding 438
 - Truncation Constant 438
- Array 83
 - Binomial 113, 762
 - Pattern 115
 - Continuous 117
 - Cosecant Squared Pattern 810
 - Directivity 98
 - Chart 101, 102
 - Even Mode 91
 - N Elements 100
 - Odd Mode 94
 - Three Elements 99
 - Dolph Tchebyscheff 113, 543, 547
 - 769
 - Scanned 780
 - Effective Length 789
 - Endfire 100, 107, 762
 - Dolph Tchebyscheff 785
 - Fourier Series Method 793
 - Endfire 799
 - Scanned Beam 799
 - GTD 706
 - Grating Lobe 107h
 - Linear 105
 - Log Periodic 477
 - Maximums and Minimums 85
 - Nonuniform Amplitude 113
 - Nulls 761
 - Pattern Multiplication 107, 421
- Phased 107d
- Planar 530
- Polar Diagram 107a, 762
- Polarization 420
- Sampled Aperture 765
- Schelkunoff Unit Circle 760
- Shaped Beam 789
- Space 111
- Space Factor 111
- Superdirective 94, 768, 787
- Synthesis 107, 111, 760
- Two Antennas 84
 - Directivity 91, 103
 - Even Mode 85, 158
 - Odd Mode 85, 161
 - Radiation Intensity 90
- Uniform Feed 762
- Woodward-Lawson 808
- Zero Sampling 787
- Astigmatic Ray 581, 711
- Axial Defocusing 598, 623
 - Graph 599, 628
- Axial Ratio 56, 60
 - Helical Antenna 421
- Babinet's Principle 180, 182, 313
- Backfire 327, 447, 479
- Balanced Feed 138
- Balanced Line 138
- Balanced Mode 141
- Balun 139, 142, 445
- Bao, V. T. 652
- Bazooka Balun 143
 - Ferrite 147
- Beam Deviation Factor 620
 - Graph 624
 - Offset 664
- Beamwidth 35
 - Relation Between 601
- Beamwidth Factor 558
- Bessel Functions 257, 362
 - Modified 362, 394
- Biconical Horn 296, 438
 - Gain Curve 299
 - Input Impedance 298
 - Pattern 304
- Biconical Transmission Line 24
 - Impedance 303, 305
- Binomial Array 113
 - Pattern 115
- Binormal Vector 754
- Biot Savart 121
- Bolt, F. S. 676
- Bouche, E. L. 676
- Boundary Conditions 152, 175, 629
- Box Horn 251
- Broadcast Tower Synthesis 768
- Branchline Hybrid 516
- Brillouin Diagram 363h
- Butterfly Pattern 40, 363a, 453
 - Graph 44, 363c
- Candelabra Balun 146
 - Ferrite 148
- Capacitance per Unit Length 68, 189
- Capacitor 8
- Carberry, T. F. 696
- Carrel, R. 461, 463, 473, 480
- Carter, P. S. 132, 307
- Cassegrain Reflector 641
 - Aperture Blockage 644

- Equivalent Parabola 650
- Offset Feed 662
- Ray Tracing 647
- Caustic 582
- Characteristic Impedance 69
- Charge Density 4
- Charge Image 154
- Cheng, D. K. 654
- Cigar Antenna 412, 416
- Circular Aperture 556
 - Amplitude Taper Loss 576
 - Phase Error Loss 576
- Circular Horn 262
 - Excitation, Higher Order 278
 - Gain 269
 - Gain Curve 271, 273
 - Optimum 270
 - TE-01 Mode 277
 - TE-11 Mode 263
 - TM-01 Mode 272, 682
 - Universal Pattern TE-01 279
 - Universal Pattern TE-11 267
 - Universal Pattern TM-01 275
- Circular Waveguide 259
 - Cut-off Wavelength 260
 - Mode Suppressors 281
 - Slots in Wall 281
 - TE Modes 259
 - TM Modes 260
 - Wall Currents 281
 - Wave Impedance 262
- Circularly Symmetric Distribution 576
- Circularly Symmetric Reflector 682
- Coaxial Transmission Line 70, 138
 - Radiation from 191
 - Slots in Wall 283
 - Wall Currents 283
- Collin, R. E. 676
- Collins, G. 699
- Coma Lobes 620, 657
- Complementary Structure 182, 436, 440, 459
- Complex Conjugate 20
- Complex Number 16
 - Polar Representation 17
- Condon Lobes 631, 662
- Conic Sections 637
- Conical Beam Approximation 36, 593
- Conical Beam Dipole 36
- Conical Cut 31
- Conical Spiral 435, 447
 - Beamwidth 447, 449
 - Directivity 447
 - Feeding 456
 - Mode 2 453
 - Beam Direction 455
 - Beamwidth 453
 - Truncation Constants 453
 - Polarization 450
 - Truncation Constants 450
- Conservation of Energy 581, 673, 678
- Continuity Equations 172
- Continuous Array 117, 126
- Corner Diffraction 748
- Corrector Subreflector 667
- Correlation Distance 655
- Correlated Signals 83
- Corrugated Conductor 380
 - TE Modes 381
 - TM Modes 380
- Corrugated Horns 284, 381
 - Feeds 664
 - Focal Plane 651
 - Gain 287
- Gain Curve 289, 291, 295
 - Rectangular 293
 - Reflector Feed 646
 - Universal Pattern 288, 292
- Cosecant Squared Pattern 696, 810
- Cosine Annulus 661
- Cosine Distribution 537
 - Amplitude Taper Loss 572
 - Pedestal 539, 546
 - Quadratic Phase Error 575
 - Squared 539
- Coupled Line Hybrid 515
- Creeping Waves 705, 753
- Cross Polarization Loss 606
- Curl 3, 120
 - Generalized 28
- Curl Curl 121
- Current Density 6
- Current Element 122
 - Magnetic Vector Potential 122
- Current Images 155
- Curvature of Surface 582
- Curved Surface Diffraction 705, 753
- Curvilinear Coordinates 27
- Cutback Microstrip Line 496
- Cut-off Frequency 205
- Cylindrical Coordinates 28
 - To Spherical 264
- Cylindrical Corrugated Surface 406, 409
 - Antenna 416
 - Hybrid Mode 412
 - TM-01 Mode 409
- Cylindrical Reflector Synthesis 678
- Cylindrical Surface Wave 394
 - Feeding 416
- Cylindrical Waves 583
- Decibels 15, 32
- Defocusing 598
- Delta Match 151
- Dielectric Constant 3
- Dielectric Rod Guide 394
 - Antenna 401
 - Cut-off Frequency 398
 - TE Modes 394
 - Hybrid Modes 398
 - TM Modes 397
- Dielectric Slab Guide 364
 - Capture Ratio 388
 - Cut-off 367
 - Excitation 377
 - Experimental Results 388
 - Grounded 376
 - TE Modes 365
 - Mode Chart 370, 373, 375
 - TM Modes 366
 - Mode Chart 371, 372, 374
- Diffraction 285
- Diffraction Coefficients 581
 - Edge 721
- Diffraction from Curved Surface 753
- Diffraction Plane 719, 740
- Dipole
 - Array Directivity 102
 - Average Characteristic Impedance 482
 - E Plane 323
 - Echelon 308
 - Folded 313, 323
 - Full Wave 127
 - Half-Wave 46, 128
 - Field 127
 - Magnetic Vector Potential 127

- Gain (Directivity) 132, 134
- Images 156
- Impedance 81, 129, 131, 317
 - Average 482
- Incremental 32
 - Fields 123
 - Magnetic Vector Potential 123
- Log Periodic 461
- Magnetic 634
- Mutual Impedance 307
 - Curve 309
- Offset Feed 136
- Over Ground Plane 157
 - GTD 706
 - Horizontal 157
 - Vertical 157
- Parabolic Reflector Feed 632
- Pattern 33, 43, 45, 128, 130
- Radiated Power 129
- Radiation Resistance 129
- Reactance 132, 133, 317
- Sleeve 163b
- Shunt Feeding 151
- Turnstile 519
- Vee 308
- Directivity 34, 46, 421
 - Aperture 216
 - Butterfly Pattern 40, 44
 - Dipole Pattern 45
 - Nomographs 38, 39, 41
 - Unequal Beamwidths 43
- Director 319
- Dirichlet Boundary Conditions 721, 724, 746
- Discontinuities 702, 706, 736
- Displacement Current 8
- Distance Parameter (GTD) 726
- Divergence 4
 - Generalized 27
- Dolph Tchebyscheff Array 113, 543, 547
 - 769
 - Endfire 785
 - Gain Limitation 549
 - Scanned 780
- Dolph Tchebyscheff Transformer 150
- Double Diffraction 702, 736
- Doubly Shaped Reflector 696
- Dual Reflector Antennas 641
 - Aperture Blockage 644
 - Noise Temperature 651
 - Synthesis 699
- Duality 196
- DuHamel, R. H. 486
- Dunbar, A. S. 696
- Duncan, J. W. 149
- Dyson, J.D. 440, 447, 459

- E Mode 238 (See TM Modes)
- E Plane 31, 323, 463
 - GTD Analysis of Horn 731
 - Rectangular Horn 219
- Edge Diffraction 701, 718
 - Caustic 722
 - Coefficient 721, 724
- Effective Area 47, 435
- Efficiency 46
- Eikonal 580, 585, 589, 667
- Electric Current Moment 755
- Electric Field 2
 - Antenna 630
 - Boundary Conditions 153, 175
- Electric Flux 8
- Electric Flux Density 3, 6, 8
 - Boundary Conditions 153
- Electric Scalar Potential 120
- Electric Wall 142, 313, 385, 498
- Electric Vector Potential 173
 - Far Field Approximation 174
 - Slot 178
 - Small Current Loop 174a
 - TE Modes 237, 257
- Electroforming 293
- Electromagnetic Waves 13, 54
- Elevation Angle 475
- Elevation-Azimuth Coordinates 35
- Elliott, R. S. 697
- Elliptical Reflector 637
- Endfire Array 100
 - Directivity 103
 - Dolph Tchebyscheff 785
 - Fourier Series Synthesis 799
 - Hansen and Woodyard 107, 348, 553, 762
 - Helical Antenna 419
 - Pattern 104
 - Polar Diagram 107d
 - Unit Circle 762
- Equiangular Spiral 435, 438
 - Beamwidth Rotation 445
 - Feeding 445
 - Pattern 442
 - Truncation Constant 440, 443
- Equivalence Theorem 177, 530, 701, 754
- Equivalent Currents 748, 751
- Even Mode 141, 313
- Even Mode Array 85, 158
 - Directivity 91
 - Input Impedance 98
 - Radiation Intensity 90
- Even-Odd Mode Analysis 141, 510
- Even Tempered Scale 493
- Exponential Transformer 150

- Faraday's Law 3, 6, 7, 13, 153, 316
 - Generalized 172, 175
- Fast Waves 363a, 447, 480
- Flux Tubes 581
- Feed Scanning 619
 - Loss 625
 - Sidelobes 623, 627
- Fermat's Principle 583, 667
- Ferrite Balun 147
- Focal Length of Edge 723
- Focal Length of Surface 716
- Focal Plane of Reflector 651
- Fock Functions 756
- Folded Balun 142, 163d
- Folded Dipole 313, 323
- Four to One Balun 145, 148
- Fourier Bessel Series 565, 652
- Fourier Series 765
 - Array Synthesis 793
- Fourier Transform 530, 539, 765
- Fraunhofer Region 531
- Frequency 12
- Frequency Independent Antennas 434
- Frequency Scaling 434
- Fresnel Integrals 224, 574
- Fresnel Region 531
- Front to Back Ratio 285, 322, 477

- Gain 46
 - Aperture 216
 - Large Aperture 48
- Galindo, V. 699
- Gamma Match 151, 187, 189, 427
- Gauss's Law 3, 153
 - Generalized 172
 - Magnetic 172
- Gauss's Theorem 4, 5
- Geodesic 754
- Geometric Optics 580, 676, 700
 - Antennas 703
- Geometric Reflection 677
- Gradient 2
 - Generalized 28
- Grating Lobe 107h
- Grazing Incidence 733, 746
- Great Circle Cut 31
- Gregorian Corrector 667
- Gregorian Reflector 641
 - Aperture Blockage 644
 - Equivalent Parabola 650
 - Offset Feed 662
- Ground Plane Effects 190, 706
- Ground Plane Images 154, 177
 - Horizontal Dipole 158
 - Vertical Dipole 157
- Group Velocity 363h
- GTD 581, 700

- H Mode 237 (See TE Modes)
- H Plane 31
 - GTD Analysis of Horn 744
 - Rectangular Horn 219
- Half Apex Angle 461
- Half-wave Balun 145
- Half-wave Dipole, See Dipole
- Hammerstad, E. O. 494
- Hankel Functions 257, 394, 408
- Hansen, R. 107, 308, 348, 658
- Hard Boundary Condition 721
- Harmonic Functions 239
- Harrington, R. F. 188, 498
- Helical Antenna 348, 417
 - Axial Mode 419, 436
 - Axial Ratio 421
 - Beamwidth 421, 426
 - Directivity 421, 425
 - Feeding 421
 - Input Impedance 427
 - Long 428
 - Normal Mode 418
 - Polarization 420
 - Relative Propagation 419, 431
 - T 2 Mode Pattern 421
- Helical Modes 417, 436, 445, 453
 - Axial Mode 419
 - Coupling 427
 - Mode 2 453
 - Normal Mode 418
- Helmholtz Equation 238
 - Circular Coordinates 256, 404
 - Rectangular Coordinates 238, 364
 - Spherical Coordinates 296
- Horns 217, 530
 - See Rectangular or Circular Horns
 - G.O. 703
- Huygens Source 212, 533, 636, 700
- Hybrid Mode 286, 398, 412
 - Focal Plane 651
- Hyperbolic Reflector 637

- Images 154, 177
- Impedance 18
 - Intrinsic 13, 29, 54
 - Matrix 52, 94
 - Smith Chart 78
 - Transmission Line 73
- Incidence Plane 714, 719, 740
- Inclined Broadwall Slot 210
- Induced Emf Method 132
- Inductance 7, 18
- Inductance per Unit Length 68
- Induction Theorem 211, 530, 700
- Infinite Balun 145, 445, 456, 482
- Isbell, D. E. 486
- Isotropic Antenna 16, 46, 47, 51, 83
 - Path Loss 49, 50
- Isotropic Medium 3

- K Space 534
- Keller, J. B. 718, 724
- Kouyoumjian, R. 716, 724
- Kraus, J. 35, 184, 308, 323, 417
768

- Laplacian 11, 122
 - Generalized 28
- Lateral Offset 598
- Leaky Waves 363a
- Lenz's Law 6, 315
- Linear Array 105, 199
- Linear Material 23
- Linear Polarization 31
- Log Periodic 434
- Log Periodic Antenna 460
 - Analysis 479
 - Arrays 477
 - Beamwidths 463, 465
 - Circular Polarization 479
 - Dipole 461
 - Directivity 463, 467
 - Elevation Angle 475
 - Even Tempered Scale 493
 - Feeder Radiation 485
 - Feeding 482
 - Flat 486
 - Front to Back Ratio 477
 - Fundamental Cell 479
 - Input Impedance 482
 - Jumper 485
 - Length 469
 - Number of Elements 469
 - Phase Center 473, 477
 - Phasing 479
 - Trapezoidal Tooth 486
 - Triangular Tooth 486, 491
 - Truncation Constants 463, 468
- Longitudinal Top Wall Slot 209
- Loop, Resonant 333
 - Bandwidth 336
 - Impedance 338
 - Parasitic 342, 345
 - Square 339
 - Triangular 341
- Loop, Small Current 174a
- Ludwig, A. C. 637
- Luneburg-Kline Expansion 580

- Magnetic Currents 172
 - Boundary Conditions 175
 - Images 177
 - Moment 194, 755
- Magnetic Dipole 174a, 634
- Magnetic Field 4
 - Boundary Conditions 152
 - Defined 5
- Magnetic Flux 6, 7
- Magnetic Flux Density 3, 4
 - Boundary Conditions 152, 176
- Magnetic Force 5
- Magnetic Loop 187, 196
- Magnetic Scalar Potential 173
- Magnetic Vector Potential 120
 - Far Field Approximation 124
 - Sinusoidal Current 127
 - TM Modes 237, 257
 - Traveling Wave Currents 164
- Magnetic Wall 142, 313, 385, 498
- Magnification Factor 641
- Maxwell's Equations 3, 4, 5, 6, 7, 9
 - 120, 152
 - Generalized 172
- Microstrip 71, 511
 - Effective Dielectric Constant 496
 - 514
 - Impedance 512
 - Open Circuit Cutback 496
- Microstrip Antennas 494
 - Bandwidth 501, 503
 - Circularly Polarized 515
 - Branchline Hybrid Feed 516
 - Coupled Line Feed 515
 - Cross Feed 515, 517, 518
 - Turnstile 523
 - Coax Feed 500
 - Continuous Strip 501
 - Efficiency 501, 508
 - Feed Network 509
 - Coupling 511
 - Half Patch 528
 - Impedance 501, 502, 506
 - Q and Bandwidth 524
 - Resonant Cavity Analysis 499, 525
 - Shunt Susceptances 525
 - Transmission Line Model 494
- Microstrip Tapered Balun 150
- Minerva, V. P. 149
- Modified Bessel Function 362, 394
- Monopoles 156
 - Mutual Impedance 308
 - Sleeve 163a
- Mutual Impedance 307
- Mutual Resistance 94

- Near Field Measurements 534
- Neumann Boundary Conditions 721, 724
- Neumann Functions 257, 259, 362
- Noise 83
- Noise Temperature 650
 - Figure of Merit 653

- Obliquity Factor 214
- Odd Mode 141, 161, 313
- Odd Mode Array 85
 - Directivity 94
 - Input Impedance 98
- Pattern 88, 96
 - Radiation Intensity 93
- Offset Feed 136, 184, 662
- Optical Path Length 583
- Optimum Log Periodic 463
- Optimum Rectangular Horn 229
- Ore, F. R. 486
- Orthogonal Set 581

- Parabolic Aperture Distribution 556
 - Amplitude Taper Loss 576
- Parabolic Reflector 581, 585
 - Alternate Gain Calculation 616
 - Amplitude Taper Loss 589
 - Graph 595, 596
 - Aperture Distribution 673
 - Astigmatism 657
 - Axial Defocusing 598, 623, 628
 - Beam Deviation Factor 620, 624
 - Cassegrain 641
 - Aperture Blockage 644
 - Equivalent Parabola 650
 - Ray Tracing 647
 - Central Blockage 607
 - Sidelobes due to 609, 614
 - Coma Lobes 620, 657
 - Condon Lobes 631, 662
 - Conical Beam Feed Losses 593
 - Graph 599
 - Cross Polarization Loss 606, 617
 - Currents 629, 658
 - Defocusing 598
 - Dual Reflector 641
 - Edge Taper 589
 - Elliptical Rim 699
 - F/D 587
 - Offset 662
 - Feed 284, 473
 - Array 664, 699
 - Astigmatic 598, 602, 657, 699
 - Electric Field 630
 - Huygens Source 636
 - Magnetic Dipole 634
 - Mismatch 658
 - Polarization 636
 - Relationship Between Beamwidths 601
 - Scanning 619
 - Dual Reflector 650
 - Loss 625
 - Sidelobes due to 623, 627
 - Short Dipole 632
 - Sidelobes 601
 - Struts 613
 - Focal Length 587
 - Focal Plane 651
 - G.O. 703
 - Gregorian Reflector 641
 - Aperture Blockage 641
 - Equivalent Parabola 650
 - Lateral Offset 598
 - Magnification Factor 641
 - Noise Temperature 650
 - Normal Vector 587
 - Offset Feed 613, 662
 - Optimum Feed Beamwidth 593, 597
 - Phase Error Loss 592, 598
 - Alternate (off axis) 618
 - Central Aperture Blockage 608
 - Physical Optics 629, 658
 - Polar Equation 585

- Random Errors 601, 654
 - Sidelobes 658
- RMS Error 655
- Spherical Aberration 658
- Spillover Loss 589, 592
 - Central Aperture Blockage 608
 - Graph 594, 596
- Subtended Angle 587
- Tolerances 654
 - Second Variation 657
 - Sidelobes 658
- Vertex Plate 661
- Paraconic Reflector 690
 - Edge Taper 695
 - Gain Bound 694
- Parallel Plate 188, 380
- Parallel Strips 385
- Parasitic Elements 315
 - Dipoles 320
 - Loop 342, 345
 - Yagi - Uda 322
- Paraxial Focus 665
- Path Loss 47
 - Nomographs 49, 50
- Pathak, P. 716, 724
- Pattern Multiplication 107, 118, 421
 - 199, 217, 477
- Pekeris Caret Function 758
- Period 12
- Periodic Structure 416, 481
- Permeability 5
- Permittivity 3
- Phase Angle, Space 21
- Phase Center 284, 473, 477
- Phase Error 532
- Phase Error Loss 569
 - Alternate (off axis) 618
 - Central Aperture Blockage 608
 - Circularly Symmetric 576
 - Parabolic Reflector 592, 598
 - Separable 573
 - Tolerances 654
- Phase Velocity 363h
- Phasor 16
 - Operations 19
- Physical Optics 581, 629, 701
- Plane Waves 13, 534, 583, 585
- Polar Diagram 107a, 762
- Polarization 54
 - Bases 58, 60, 65
 - Circular 55, 57, 420
 - Circular Components 58
 - Coefficient 64
 - Cross 56
 - Linear 31
 - Loss 64, 66, 67
 - Reflector Feed 636
- Polarization Ellipse 55
- Polarization Ratio
 - Circular 59
 - Linear 54, 60
- Polyrod Antenna 401
- Poynting Vector 29, 129
- Principle Radius of Curvature 582
 - Reflection 716
- Principle Planes 34
- Propagation Constant 531
- Propagating Mode 69
- Propagation see Radiation
- Q of Resonant Circuit 524
- Quad Antenna 342
- Quadratic Phase Error 573
 - Effect on Sidelobes 577
- Radial Waveguide 286, 404, 409
 - Cut-off 406
 - TE Modes 404
 - TM Modes 406
 - TM-0N Modes 407
 - Wave Impedance 405
- Radian Frequency 12, 16
- Radiated Power 30, 34, 46,
 - Slot 179
 - Small Current Loop 175
 - Sinusoidal current 129
 - Traveling Wave Currents 167
- Radiation 10
- Radiation Approximation 83, 702
- Radiation Conductance 180
- Radiation Intensity 31, 46
- Radiation from Currents 120
- Radiation Resistance 125
 - Incremental Dipole 125
 - Slot 180
 - Small Current Loop 175
 - Sinusoidal Current 129, 131
 - Traveling Wave Currents 167
- Random Errors 601
- Ray Fixed Coordinates 714, 719
- Rays 580
 - Amplitude Variation 585, 673
 - Astigmatic 581
 - Cylindrical 583
 - Plane Waves 583
 - Shaped Reflectors 676
 - Spherical 582
 - Tracing 585, 701
 - Cassegrain 647
- Reactive Power Divider 510
- Reciprocity 48, 52, 98, 307
- Rectangular Aperture 535
- Rectangular Coordinates 28
 - To Spherical 26
- Rectangular Horns 217, 242
 - Gain 224
 - Gain Curve E Plane 225, 227
 - Gain Curve H Plane 226, 228
 - Multi-mode 242, 249, 250
 - See Box Horn
 - Optimum 229
 - TE-01 Mode Patterns 243
 - TE-02 Mode Patterns 244
 - TE-11 Mode Patterns 246
 - TE-12 Mode Patterns 247
 - TM-11 Mode Patterns 245
 - TM-12 Mode Patterns 248
 - Universal Pattern 220, 221
- Rectangular Waveguide 203, 239
 - Cut-off Frequency 205, 241
 - Guide Wavelength 205, 241
 - Magnetic Field 206
 - Slots in Wall 208
 - TE Modes 240
 - TM Modes 240
 - Wall Currents 207
 - Wave Impedance 242
- Reference Plane 265
- Reflection Boundary 704, 725
- Reflection Coefficient 72
- Reflection, Conic Sections 637
- Reflection Loss 75

- Reflection of Waves 202, 714
 - Snell's Laws 584
- Reflection Plane 714
- Reflector 319
- Reflector Antennas 580
 - Circularly Symmetric Synthesis 682
 - Cylindrical Synthesis 678
 - Doubly Shaped 696
 - Paraconic 690
 - Shaped 676
 - G.O. 703
 - Spherical 665
 - Tolerances 654
 - Second Variation 657
 - Sidelobes 658
 - Toroidal 679
- Refraction of Waves 584
- Relative Propagation Constant 348
 - Corrugated Conductor 381
 - Fast Wave 363a
 - Hansen & Woodward Criterion 349
 - Measurement 3631
 - Surface Wave 362
 - Varying 358
- Retarded Potentials 21
- Return Loss 74
 - Chart 76
 - Smith Chart 78
- Rhombic Antenna 171
- RMS Reflector Error 655
- Richmond, J.H. 308
- Rumsey, V. 434, 438
- Ruze, J. 655

- Scaling Constant 460, 479
- Scanned Aperture 549
- Scanned Line Source 363a
- Scattering Matrix 73
- Scattered Field 211
 - Curved Surface 757
- Schelkunoff, S. 224
 - Unit Circle 760
- Self Complementary Structure 182
- Separation of Variables 238, 256
- Shadows 704
- Shadow Boundary 701, 704, 725
- Shaped Beam Arrays 789
- Shaped Reflectors 676
- Shunt Feeding 151
- Sidelobes 113, 530
- Sidewall Slots 208
- Silver, S. 252, 661, 696, 699
- Sinusoidal Current Distribution 126
 - Field 127
 - Gain (Directivity) 132
 - Input Resistance 129
 - Magnetic Vector Potential 126
 - Pattern 128, 130
 - Radiated Power 129
 - Radiation Resistance 129
- Sinusoidal Voltage Distribution 176
 - Electric Vector Potential 178
 - Field 178
- Sky Waves 171
- Sleeve Antenna 163a
- Sleeve Balun 143
- Slope Diffraction 740
- Slot Antenna 176
 - Gain (Directivity) 180
 - Field 178
 - Impedance 183, 313
 - In Ground Plane 186
- Mutual Impedance 313
- Offset Feed 184
- Parallel Plate 188
- Radiation Conductance 180
- Stripline fed 187
- Waveguide Cavity Backed 186
- Wide 198
- Slot Line 176, 186
- Slow Waves 348, 419, 480
- Small Current Loop 174a
- Smith Chart 75
 - Admittance Coordinates 81
 - Reactance Curves 78
 - Resistance Curves 77
 - Voltage Reflection Coeff. 75
 - VSWR 78
- Snell's Law 583
- Soft Boundary Condition 721
- Space Array 111
- Space Factor 111
- Space Harmonics 416, 481
- Spacing Constant 461
- Spherical Aberration 658, 665
- Spherical Coordinates 25, 28, 54
 - To Cylindrical 264
 - To Rectangular 26
- Spherical Harmonics 653
- Spherical Reflectors 665
 - Aperture Distribution 673
 - Blockage Loss 673
 - Corrector Subreflector 667
 - Feed 667
 - Paraxial Focus 665
- Spherical Waves 29, 54, 83, 122, 582, 585
- Spillover Loss 589, 592
- Spiral Antenna 434
 - Archimedean 435
 - Conical Log 447
 - Equiangular 438
- Split Coax Balun 144
- Split Tapered Coax Balun 149, 427, 456
- Squinted Beam 139, 145
 - Mode 2 456
- Standing Waves 125, 203, 239, 333, 361
- Stationary Phase 659
- Stationary Point 583
- Stoke's Theorem 6, 7
- Stripline 187
- Surface Currents 154, 530
- Surface Waves 361, 753
 - Capture Ratio 388
 - Corrugated Conductor 380
 - Cut-off 367
 - Experimental Results 388
 - Dielectric Slab 364
- Superposition 23
- Symmetry 22

- Taylor Distribution 543
 - Circular 563
 - Amplitude Taper Loss 577
 - Linear 543
 - Amplitude Taper Loss 572
 - Quadratic Phase Error 577
 - Zero Sampled 787
- Tchebyscheff Polynomials 769
- Tee Match 151
- Telegrapher's Equation 68
- Three Wire Line 138
- Time Varying Fields 6
- Tilt Angle 56, 60
- Toroidal Reflector 679

Index

- Torsion 754
- Transformer 80
 - Dolph Tchebyscheff 150
 - Exponential 150
- Transformer Balun 149
- Transition Function 726, 741
- Transmission Lines 68
 - Periodically Capacitively Loaded 482
 - Terminated 72
- Transmission Loss 75
 - Smith Chart 78
- Transverse Electric (TE) Mode 237, 256, 721
- Transverse Magnetic (TM) Mode 237, 256, 721
- Transverse Top Wall Slot 209
- Traveling Waves 239, 361
- Traveling Wave Currents 164
- Traveling Wave Endfire 348
 - Beamwidth 353
 - Directivity 352
 - Generation 357
 - Patterns 350, 355
 - Sidelobes 349
- Triangular Distribution 537
 - Amplitude Taper Loss 572
 - Quadratic Phase Error 575
- Truncation Constant 434
 - Archimedean Spiral 438
 - Conical Log Spiral 450
 - Equiangular Spiral 440, 443
 - Log Periodic Dipole 463, 468
 - Mode 2 Conical Spiral 453
- Turner, E.M. 435
- Two Wire Line 22, 138
- Type II Sleeve Balun 143, 163b
- U Space 803
- Unbalanced Line 138
- Unbalanced Mode 141
- Uncorrelated Signals 83
- Uniform Aperture 535
 - Amplitude Taper Loss 572
 - Quadratic Phase Error 575
 - Scanned 803
- Vee Antenna 167
- Vee Dipole 308
- Vector Fields 23, 120
 - Laminar 2
 - Solenoidal 5
- Vector Potential
 - Magnetic 120
- Vector Product 28
- Vector Propagation Constant 534
- Vector Scalar Product 58
- Velocity of Light 70
- Vertex Plate 661
- Vestigial Lobe 620
- Virtual Short 333, 342, 498
- Visible Region 107a, 535, 762, 796
- Voltage 2, 6
- Voltage Reflection Coefficient 72
- VSWR 74
 - Smith Chart 78
- W Space 761
- Wave Equation 10
- Wave Impedance 242, 262, 405
- Waveguide 186, 187
 - Brillouin Diagram 363h
 - Circular 259
 - Cut-off Wavelength 260
 - Mode Suppressors 281
 - Slots in Wall 281
 - TE Modes 259
 - TM Modes 260
 - Wall Currents 281
 - Wave Impedance 262
 - Impedance Below Cutoff 242
 - Radiation from 200
 - Rectangular 203
 - Cut-off 206, 241
 - Guide Wavelength 205, 241
 - Magnetic Fields 206
 - TE Modes 240
 - TM Modes 240
 - Wall Currents 207
 - Wave Impedance 242
 - Obstacles 242, 251
 - Slots in Wall 208
 - Wavelength 10
- Wedge Diffraction Coefficients 724
- Williams, W. F. 699
- Wood, P. J. 653
- Woodward-Lawson Sampling 803
- Woodyard 107, 348
- Wrap Angle 438, 447
- Yagi - Uda 322, 349, 416
 - Gain Limitations 327
 - Optimum Designs 333
- Zarghamee, M. S. 657
- Zero Sampling 787
- Zucker, F. J. 676